KeyPad Fibra

Wired keyboard

Compatibility	Compatible hub models Hub Hybrid (2G) Hub Hybrid (4G)		
Communication	Fibra communication technology Proprietary wired communication technology. Fibra combines the reliability of wires with the freedom of radio connection.		
	 It features: Two-way communication. Advanced anti-sabotage. Instant notifications. Remote configuration via the app. 		
	Line connection 4-core cable		
	Fibra line length up to 2,000 meters		
	Fibra line length up to 6,500 ft When using the U/UTP cat.5 twisted pair.		
	Encrypted communication		
Key features	Sensor type Capacitive		
	Security mode indication Only when KeyPad Fibra is active.		
	Duress code 50 personal codes One per each user. 1 general code One per KeyPad Fibra.		
	Functional button Panic button To activate an alarm. Mute fire alarms To mute interconnected fire detectors alarms.		
	Codes		

	50 personal codes
	One per each user.
	1 general code
	One per KeyPad Fibra.
Recommendations	Device is designed for indoor use only.
Anti-sabotage protection	Code guessing protection KeyPad Fibra locks for 3-180 minutes if an incorrect code is entered more than 3 times in a row within 1 minute. The lock time is adjusted by PRO or user with admin rights in the Ajax app.
	Tampering alarm Alerts of attempts to detach the detector from the surface or remove the mounting panel. Protection against forgery
	device authentication
Power supply	Fibra line power supply 5–30 V—, up to 230 mW The keypad is powered by the control panel.
Enclosure	Dimensions 150 × 103 × 19 mm 5.90" × 4.05" × 0.75"
	Weight 148 g 5.22 oz
	Operating temperature range from -10° C to +40°C from 14°F to 104°F
	Operating humidity up to 75%
	Protection class
Colours	Black
	White
Complete set	KeyPad Fibra SmartBracket mounting panel Installation kit Quick Start Guide
Warranty	24 months